



Bowdun Offshore Wind Farm, Offshore EIA Report

Volume 3, Technical Appendix 11.6: Offshore
Ornithology Apportioning Technical Report Annex
B: Full Breeding Season Apportioning Results

TWP-BOW-RPS-OFE-RPT-00096 | April 2026



Contents

This annex contains the full results of breeding season apportioning, including non-designated colonies, for nine species:

- Northern fulmar *Fulmarus glacialis*, hereafter; ‘fulmar’;
- Northern gannet *Morus bassanus*, hereafter; ‘gannet’;
- Black-legged kittiwake *Rissa tridactyla*, hereafter; ‘kittiwake’;
- Great black-backed gull *Larus marinus*;
- Herring gull *Larus argentatus*;
- Arctic tern *Sterna paradisaea*;
- Common guillemot *Uria aalge*, hereafter; ‘guillemot’;
- Razorbill *Alca torda*; and
- Atlantic puffin *Fratercula arctica*, hereafter; ‘puffin’.

For each species, the number of individuals were taken from the Seabird Count Census (Burnell *et al.*, 2023) for SPA colonies where possible. All other counts were taken from the Seabird Monitoring Programme database. Distances used in calculations were measured from the centre of the Array Area to the centre of the colony. As the centre of Forth Islands SPA was not found to be representative of the locations of breeding colonies, the Isle of May was used as the location for all species other than gannet. For gannet, distances were measured to Bass Rock.

Tables

Table B.1: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Fulmar..	1
Table B.2: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Gannet	26
Table B.3: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Kittiwake	27
Table B.4: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Great Black-backed Gull	32
Table B.5: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Herring Gull.....	33
Table B.6: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Arctic Tern	35
Table B.7: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Guillemot.....	36
Table B.8: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Razorbill.....	37
Table B.9: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Puffin	39

Table B.1: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Fulmar

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Basket Islands SPA	3,768	1,160.55	0.825	0.001	0.000
Buchan Ness to Collieston Coast SPA	1,652	55.88	0.676	0.327	0.060
Calf of Eday SPA	4,648	275.74	0.719	0.036	0.007
Cape Wrath SPA	2,954	321.17	0.754	0.016	0.003
Clare Island SPA	5,294	975.71	0.849	0.003	0.001
Cliffs of Moher SPA	9,602	1,076.06	0.821	0.004	0.001
Copinsay SPA	3,236	228.29	0.712	0.036	0.007
Deenish Island and Scariff Island SPA	802	1,204.11	0.809	0.000	0.000
Dingle Peninsula SPA	1,620	1,142.55	0.821	0.001	0.000
Duvillaun Islands SPA	1,094	944.09	0.854	0.001	0.000
East Caithness Cliffs SPA	27,928	190.53	0.712	0.452	0.083
Fair Isle SPA	64,982	285.11	0.710	0.471	0.087
Fetlar SPA	18,354	451.74	0.717	0.053	0.010
Flamborough and Filey Coast SPA	1,692	321.22	0.586	0.012	0.002
Flannan Isles SPA	6,132	485.72	0.812	0.013	0.002
Foula SPA	20,506	354.36	0.725	0.094	0.017
Fowlsheugh SPA	1,050	51.30	0.677	0.246	0.045
Handa SPA	1,446	361.40	0.757	0.006	0.001
Hermaness, Saxa Vord and Valla Field SPA	26,416	470.05	0.719	0.070	0.013

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
High Island, Inishshark and Davillaun SPA	3,982	994.76	0.851	0.002	0.000
Horn Head to Fanad Head SPA	1,316	750.28	0.803	0.001	0.000
Hoy SPA	41,082	233.21	0.722	0.438	0.081
Iveragh Peninsula SPA	2,060	1,171.19	0.814	0.001	0.000
Kerry Head SPA	602	1,126.59	0.818	0.000	0.000
Lambay Island SPA	750	979.37	0.738	0.000	0.000
Mingulay and Berneray SPA	14,096	585.69	0.799	0.022	0.004
North Caithness Cliffs SPA	30,740	221.21	0.718	0.366	0.067
North Rona and Sula Sgeir SPA	4,420	382.88	0.786	0.016	0.003
Noss SPA	10,184	353.17	0.712	0.048	0.009
Puffin Island SPA	1,340	1,192.88	0.816	0.000	0.000
Rathlin Island SPA	2,076	741.93	0.765	0.002	0.000
Rousay SPA	4,384	266.18	0.723	0.036	0.007
Saltee Islands SPA	714	1,134.66	0.719	0.000	0.000
Shiant Isles SPA	3,012	443.67	0.779	0.008	0.002
Skelligs SPA	1,834	1,199.77	0.817	0.001	0.000
St Kilda SPA	58,372	552.99	0.827	0.097	0.018
Sumburgh Head SPA	11,900	321.31	0.711	0.068	0.012
Tory Island SPA	1,014	760.85	0.808	0.001	0.000
Troup, Pennan and Lion's Heads SPA	3,788	107.04	0.687	0.201	0.037
West Donegal Coast SPA	2,836	779.58	0.817	0.002	0.000
West Westray SPA	2,428	278.84	0.726	0.018	0.003

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Non-designated sites					
Aber Bach - Ynys Barry	114	1,142.53	0.674	0.000	0.000
Abereiddy - Treginnis, St Davids	16	1,144.38	0.676	0.000	0.000
Ailsa Craig SPA	238	800.15	0.736	0.000	0.000
Aith to Brae	170	381.17	0.719	0.001	0.000
Aithsting	23	372.30	0.721	0.000	0.000
Alderney	330	1,000.79	0.606	0.000	0.000
Anglesey Terns/Morwenoliaid Ynys Mon SPA	406	998.05	0.692	0.000	0.000
Applecross and Crowlin Islands	82	478.51	0.761	0.000	0.000
Ardboline Island and Horse Island SPA	36	874.15	0.820	0.000	0.000
Arran	25	776.43	0.737	0.000	0.000
Arran Moors SPA	14	722.05	0.739	0.000	0.000
Ascrib Islands	162	484.62	0.779	0.000	0.000
Aughris Head SPA	164	880.90	0.822	0.000	0.000
Auskerry SPA	396	240.16	0.713	0.004	0.001
Babbacombe Bay	38	1,052.03	0.629	0.000	0.000
Barafundle to Giltar Point	136	1,214.15	0.660	0.000	0.000
Barlocco	14	925.13	0.700	0.000	0.000
Bay of Berstane to Rerwick Head Tankerness	678	240.31	0.716	0.007	0.001
Bay of Meil, Head Of Holland	440	242.36	0.717	0.004	0.001

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Bay of Stoer	4	390.38	0.758	0.000	0.000
Bearasay - Lewis	264	452.36	0.796	0.001	0.000
Beldog Harbour to Kid Island	726	898.19	0.844	0.000	0.000
Bennane Lea to Games Loup	12	813.78	0.732	0.000	0.000
Berry Head to Sharkham Point SSSI	10	1,053.64	0.629	0.000	0.000
Berwick to Scottish Border	530	137.02	0.662	0.018	0.003
Bigbury Bay	11	1,084.69	0.639	0.000	0.000
Bigton to Maywick	5,979	340.27	0.714	0.030	0.006
Bills Rocks SPA	188	966.90	0.854	0.000	0.000
Binevenagh	17	751.38	0.781	0.000	0.000
Birsay Cliffs - Point of Buckquoy to Loop of Cruie	886	267.34	0.726	0.007	0.001
Bishop and Clerks and Ramsey	10	1,148.33	0.680	0.000	0.000
Blackhead	14	815.28	0.750	0.000	0.000
Bluemull and Colgrave Sounds SPA	6,616	454.57	0.718	0.019	0.003
Boddam to Cumlewick Ness	14	335.12	0.712	0.000	0.000
Border to Burnmouth	146	135.16	0.663	0.005	0.001
Boulby Cliffs	110	269.95	0.612	0.001	0.000
Bray	16	1,014.71	0.731	0.000	0.000
Brecqhou	6	1,030.83	0.611	0.000	0.000
Brenish to Valtos - Lewis	1,950	463.70	0.797	0.005	0.001
Bressay	4,616	349.27	0.713	0.022	0.004
Bressay - North	24	353.28	0.714	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Brig O' Waithe to Hamnavoe, Stromness	30	250.07	0.723	0.000	0.000
Brighton to Newhaven Cliffs SSSI	42	806.68	0.544	0.000	0.000
Brindister	82	354.58	0.715	0.000	0.000
Brora	8	202.63	0.720	0.000	0.000
Brough of Birsay	336	268.20	0.727	0.003	0.000
Burn of Daff	154	47.05	0.678	0.043	0.008
Burray	277	229.35	0.714	0.003	0.001
Burton Cliff, Burton Bradstock	32	993.67	0.611	0.000	0.000
Butt of Lewis to Gress - Lewis	2,308	274.43	0.781	0.016	0.003
Cadgwith - Helford River (East Lizard)	22	1,180.21	0.667	0.000	0.000
Caithness - Wick Bay to Freshwick Bay	1,074	200.27	0.711	0.016	0.003
Caithness and Sutherland Peatlands SPA	342	196.44	0.728	0.005	0.001
Calf of Flotta	206	233.16	0.717	0.002	0.000
Campay - Lewis	40	450.54	0.795	0.000	0.000
Canna and Sanday SPA	150	545.28	0.775	0.000	0.000
Cardigan Island and Mwnt to Carreg Lydan	156	1,125.28	0.666	0.000	0.000
Carness to Skerry of Work, St Ola	10	244.51	0.717	0.000	0.000
Carr Craig, Eyebroughy and Haystack	372	156.44	0.692	0.009	0.002

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Castle Point to Portankill (Mull of Galloway) - Tysties	12	832.07	0.734	0.000	0.000
Castlemartin Coast SPA	114	1,174.91	0.665	0.000	0.000
Catterline to Inverbervie	708	55.04	0.678	0.144	0.027
Causamul, Haskeir, Boreray and Spuir	38	526.61	0.808	0.000	0.000
Causeway Coast	1,760	749.65	0.766	0.002	0.000
Church Cove 2 - Cadgwith	32	1,183.64	0.669	0.000	0.000
Cnuic agus Cladach Mhuile SPA	186	621.78	0.759	0.000	0.000
Coll and Tìree SPA	2,948	582.70	0.780	0.005	0.001
Coll SPA	40	590.32	0.772	0.000	0.000
Copeland Islands SPA	116	827.87	0.745	0.000	0.000
Coquet Island SPA	106	182.92	0.643	0.002	0.000
Costa Head	1,106	264.95	0.724	0.009	0.002
Costa Head ("Inland")	4	265.93	0.725	0.000	0.000
Craigaig	2	756.41	0.754	0.000	0.000
Creadan Head to Foilakipeen	56	1,179.65	0.731	0.000	0.000
Cromwell Fort to Point of Carness	2	245.16	0.718	0.000	0.000
Crossbost to Arnish - Lewis	6	431.81	0.782	0.000	0.000
Cudden Point, Mount's Bay	12	1,198.38	0.673	0.000	0.000
Culzean Country Park - Sea cliffs	18	811.40	0.728	0.000	0.000
Cunningsburgh to Sandwick	5,734	338.13	0.713	0.029	0.005

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Dale to Huxter	5,736	372.04	0.723	0.024	0.004
Dawlish Warren to Teignmouth	34	1,048.14	0.628	0.000	0.000
Deepdale	66	344.25	0.714	0.000	0.000
Deerness	3,208	232.97	0.714	0.035	0.006
Donegal Bay SPA	142	872.12	0.809	0.000	0.000
Dornoch Firth and Loch Fleet SPA	48	203.93	0.723	0.001	0.000
Downhill	223	748.53	0.779	0.000	0.000
Downpatrick to Creevagh Heads	270	886.30	0.834	0.000	0.000
Droman to Geodha Ruadh na Fola	1,539	339.33	0.756	0.007	0.001
Drumshang to Heads of Ayr	8	811.25	0.727	0.000	0.000
Dulas Valley	2	1,027.82	0.663	0.000	0.000
Dungeness, Romney Marsh and Rye Bay SPA	26	726.78	0.522	0.000	0.000
Dunglass to Fast Castle	132	130.74	0.671	0.005	0.001
Dunrobin	2	206.32	0.722	0.000	0.000
Dyserth Quarry	6	1,034.59	0.657	0.000	0.000
East Antrim Coast	82	781.14	0.756	0.000	0.000
East Island	816	915.89	0.707	0.001	0.000
East Loch Nedd to Rubha Creag Lomhair	10	382.67	0.755	0.000	0.000
East Mainland Coast, Shetland SPA	4,204	227.95	0.715	0.047	0.009
East Sanday Coast SPA	684	264.33	0.717	0.006	0.001

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
East Trotternish	258	479.50	0.769	0.001	0.000
Eday	1,835	256.10	0.719	0.016	0.003
Edinburgh	16	163.32	0.692	0.000	0.000
Effirth to Ness of Bixter	18	369.24	0.719	0.000	0.000
Egilsay	284	258.65	0.720	0.002	0.000
Erris Head	924	910.12	0.850	0.001	0.000
Eye Peninsula - Lewis	962	419.48	0.778	0.003	0.001
Eyemouth to Burnmouth	84	131.19	0.664	0.003	0.001
Falmouth Bay to St Austell Bay SPA	176	1,138.76	0.660	0.000	0.000
Fara	158	234.82	0.719	0.002	0.000
Faraid Head/Balnakeil	344	318.71	0.748	0.002	0.000
Faray, Holm of Faray and Rusk Holm	566	263.55	0.721	0.005	0.001
Farne Islands SPA	372	150.62	0.650	0.011	0.002
Fethaland to North Roe	1,610	409.39	0.722	0.006	0.001
Fife Ness to St Andrews	22	112.51	0.685	0.001	0.000
Findon Ness - Hare Ness	212	45.97	0.677	0.062	0.011
Finstown and Kirkwall	65	243.27	0.719	0.001	0.000
Firth of Forth SPA	10	115.07	0.694	0.000	0.000
Fitful	4	324.72	0.713	0.000	0.000
Floday - Lewis	22	452.71	0.796	0.000	0.000
Flotta and Calf of Flotta	2,426	231.73	0.717	0.026	0.005
Forth Islands SPA	1,362	130.84	0.679	0.049	0.009

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Freshwater West to West Angle Bay	4	1,192.69	0.668	0.000	0.000
Friar Island	90	1,005.31	0.850	0.000	0.000
Friog	26	1,074.56	0.662	0.000	0.000
Gairsay, Hen of Gairsay, Boray Holm, Sweyn Holm	546	253.28	0.720	0.005	0.001
Garvan Islands	10	726.16	0.790	0.000	0.000
Giant's Causeway Coast	1,176	745.84	0.773	0.001	0.000
Gilfach yr halen	20	1,119.70	0.659	0.000	0.000
Girdle Ness to Hare Ness	176	45.52	0.677	0.052	0.010
Glannau Aberdaron ac Ynys Enlli/Aberdaron Coast and Bardsey Island SPA	28	1,044.35	0.685	0.000	0.000
Glen App and Galloway Moors SPA	16	819.90	0.731	0.000	0.000
Glimps Holm	34	230.33	0.715	0.000	0.000
Gloup Ness to Gutcher (N.W. Yell)	706	423.38	0.720	0.002	0.000
Graemsay	110	247.28	0.722	0.001	0.000
Grass Holm	34	250.67	0.719	0.000	0.000
Great Mew Stone (Island)	44	1,098.84	0.643	0.000	0.000
Greater Wash SPA	216	436.73	0.544	0.001	0.000
Green Holms	322	254.76	0.718	0.003	0.001
Gremista	8	361.46	0.715	0.000	0.000
Grobsness	12	380.15	0.719	0.000	0.000
Gruinart Flats, Islay SPA	56	677.38	0.768	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Gruting	2	366.77	0.719	0.000	0.000
Guernsey	11	1,044.46	0.616	0.000	0.000
Gulberwick to Fladdabister	842	354.19	0.714	0.004	0.001
Gunwallor Fishing Cove to Kynance Cove	78	1,188.81	0.671	0.000	0.000
Gweedore Bay Islands	52	794.40	0.813	0.000	0.000
Hagmark Hill	42	359.31	0.718	0.000	0.000
Hall Bay to Craigeven Bay	14	50.05	0.678	0.003	0.001
Hallilee	42	336.52	0.713	0.000	0.000
Helliar Holm	312	246.11	0.718	0.003	0.001
Herm	12	1,031.10	0.612	0.000	0.000
Heylor to Stenness	1,788	396.56	0.724	0.007	0.001
Hill of Scarvister	21	360.39	0.721	0.000	0.000
Hillswick	1,082	392.55	0.723	0.004	0.001
Holm	2,250	229.32	0.714	0.025	0.005
Holm of Huip and Little Linga Holm	300	255.71	0.717	0.003	0.000
Holm of Melby, Forewick Holm, Crog Holm, Holm of Culsetter, Isle of Gunniste	26	375.51	0.722	0.000	0.000
Holm, Deerness and Tankerness	94	229.29	0.715	0.001	0.000
Holms of Spurness	94	257.47	0.717	0.001	0.000
Hopeman Bay	54	168.34	0.708	0.001	0.000
Horse Island, Colsay, Little and Ladies Holm to Fitful Head	1,499	321.70	0.712	0.009	0.002

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Housel to Church Cove 1	4	1,185.45	0.669	0.000	0.000
Howick - Cullornose Point - Dunstanburgh Castle Point	184	168.21	0.647	0.004	0.001
Howth Head Coast SPA	28	992.15	0.735	0.000	0.000
Hoy and Southwalls	1,970	230.83	0.719	0.022	0.004
Huesbreck	20	331.21	0.712	0.000	0.000
Hunda	4	230.79	0.716	0.000	0.000
Huxter to Brindister	4,250	374.59	0.722	0.018	0.003
Illanmaster SPA	220	902.33	0.843	0.000	0.000
Illaunonearaun SPA	114	1,106.87	0.820	0.000	0.000
Inchgarvie and Forth Rail Bridge	300	165.92	0.697	0.007	0.001
Inchmarnock Island, Bute	22	772.21	0.739	0.000	0.000
Inishbofin, Inishdooney and Inishbeg SPA	178	766.53	0.807	0.000	0.000
Inishduff SPA	16	838.60	0.816	0.000	0.000
Inishglora and Inishkeeragh SPA	26	936.10	0.853	0.000	0.000
Inishkea Islands SPA	162	942.70	0.855	0.000	0.000
Inishmore SPA	250	1,050.51	0.831	0.000	0.000
Inishmurray SPA	514	865.25	0.819	0.000	0.000
Inishtrahull SPA	194	727.27	0.789	0.000	0.000
Inishturk Island	5,422	988.92	0.850	0.003	0.001
Inland Gwynedd	6	1,019.63	0.659	0.000	0.000
Inner Moray Firth SPA	4	213.40	0.725	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Inverbervie to St Cyrus	38	58.60	0.680	0.007	0.001
Ireland to Maywick	2,042	342.35	0.714	0.010	0.002
Ireland's Eye SPA	130	990.06	0.737	0.000	0.000
Islay - East (Port Askaig to Bowmore)	8	721.46	0.761	0.000	0.000
Isle of Eigg (Summer Isles)	72	543.41	0.765	0.000	0.000
Isle of Wight	6	888.72	0.574	0.000	0.000
Jersey	234	1,030.48	0.611	0.000	0.000
Jethou	12	1,033.09	0.612	0.000	0.000
Jura, Scarba and the Garvellachs SPA	14	651.35	0.757	0.000	0.000
Keil Point to Kilmanshennachan	48	770.42	0.750	0.000	0.000
Laggan, Islay SPA	18	694.25	0.767	0.000	0.000
Largybaan	4	758.04	0.754	0.000	0.000
Larne Lough to Portmuck	404	806.75	0.751	0.000	0.000
Leckpatrick, S. of Torr Head	26	762.98	0.761	0.000	0.000
Lenan Head to Tullagh Point	200	743.07	0.795	0.000	0.000
Lerwick to Gulberwick	182	351.31	0.714	0.001	0.000
Lewis and Harris - Tysties	30	487.06	0.801	0.000	0.000
Lewis Peatlands SPA	598	405.39	0.786	0.002	0.000
Lindisfarne SPA	328	148.61	0.656	0.009	0.002
Linga Holm	480	252.66	0.716	0.004	0.001
Little Cumbrae	22	785.84	0.734	0.000	0.000
Little Haven to Newgale	180	1,158.42	0.670	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Little Skerry	98	211.21	0.711	0.001	0.000
Liverpool Bay/Bae Lerpwl (Wales) SPA	88	991.92	0.668	0.000	0.000
Llanddulas Quarries	50	1,025.99	0.664	0.000	0.000
Llangrannog to Penpeles (includes Tresaith SSSI and Aberporth)	48	1,125.43	0.663	0.000	0.000
Llanrhyslud - Llansanffraed	28	1,110.33	0.656	0.000	0.000
Llansantffraid - Aberaeron	30	1,116.76	0.657	0.000	0.000
Lleyn Peninsula	14	1,042.31	0.680	0.000	0.000
Loch Laxford	42	360.34	0.754	0.000	0.000
Loch of Banks and The Loons	12	263.47	0.726	0.000	0.000
Loch of Vaara (Twatt)	83	375.44	0.719	0.000	0.000
Loch Ryan	4	818.39	0.727	0.000	0.000
Loch Torridon	8	463.73	0.759	0.000	0.000
Lochs of Spiggie and Brow SPA	1,280	383.12	0.713	0.005	0.001
Loop Head Peninsular	394	1,111.45	0.821	0.000	0.000
Loop Head SPA	90	1,112.66	0.823	0.000	0.000
Loughshinny to Killiney	108	991.43	0.736	0.000	0.000
Lunan Bay to Arbroath	473	81.90	0.682	0.043	0.008
Lunning/Levaneap	1,122	383.20	0.717	0.004	0.001
Lythe Mead to Carrick-Kee	12	864.26	0.726	0.000	0.000
Maggy's Leap	4	907.47	0.750	0.000	0.000
Magharee Islands SPA	112	1,138.70	0.819	0.000	0.000
Mainland central: Terns	1	373.67	0.718	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Mainland north: Terns	24	387.95	0.722	0.000	0.000
Marwick Head SPA	1,260	264.96	0.727	0.010	0.002
Maywick to Scalloway	6,598	344.24	0.715	0.033	0.006
Maywick to St. Ninians Isle	97	340.09	0.714	0.000	0.000
Meall Mor and Isle Martin	2	417.82	0.751	0.000	0.000
Meikle Ross and Little Ross	2	914.02	0.705	0.000	0.000
Melvich to Duncansby Stacks SSSI	100	237.99	0.719	0.001	0.000
Mid Walls	22	361.60	0.721	0.000	0.000
Mid-Waterford Coast SPA	460	1,193.08	0.741	0.000	0.000
Monach Islands SPA	78	543.52	0.805	0.000	0.000
Monreith Cliffs and Scar Rocks	8	880.10	0.718	0.000	0.000
Montrose to Lunan Bay	132	74.99	0.681	0.014	0.003
Mount's Bay, Cornwall	68	1,194.16	0.672	0.000	0.000
Mousa SPA	316	336.86	0.712	0.002	0.000
Mousland	15	256.07	0.725	0.000	0.000
Muck	1,434	551.39	0.767	0.003	0.000
Muck Island	144	806.34	0.752	0.000	0.000
Muckle Roe	4,285	382.96	0.720	0.017	0.003
Muckle Roe Bridge to Mangaster	90	384.56	0.720	0.000	0.000
Muckle Roe to Ura Firth	1,224	389.49	0.721	0.005	0.001
Mull	876	581.80	0.758	0.001	0.000
Mynydd Cilan, Trwyn y Wylfa ac Ynysoedd Sant Tudwal SPA	178	1,052.30	0.678	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Natural Arches	4	130.61	0.672	0.000	0.000
Ness and Barvas, Lewis SPA	934	406.96	0.785	0.003	0.001
Nesting/Laxo to Housabister	74	378.99	0.716	0.000	0.000
New Quay to Lochtyn	74	1,121.39	0.661	0.000	0.000
Newport to Poppit	310	1,129.61	0.667	0.000	0.000
Newton Hill	128	49.09	0.678	0.033	0.006
Newtonhill - Hall Bay	228	48.36	0.678	0.060	0.011
No Ness to Levenwick and Boddam to Virkie	10,026	334.36	0.712	0.053	0.010
North Antrim coast	15	746.75	0.776	0.000	0.000
North Colonsay and Western Cliffs SPA	1,078	653.30	0.764	0.001	0.000
North East of Kilkee	502	1,102.25	0.820	0.000	0.000
North Island	324	908.28	0.708	0.000	0.000
North Mainland 10 - Mangaster to Pinchdyke	54	386.09	0.720	0.000	0.000
North Mainland 11 - Vidlin Voe to Lunning Sound	80	381.30	0.716	0.000	0.000
North Mainland 13 - Hamna Voe to Sand Voe	1,234	394.37	0.724	0.005	0.001
North Mainland 18 - Ladie Hill to Clubb of Mulla	10	381.36	0.719	0.000	0.000
North Mainland 19 - Ness of Hillswick	634	392.34	0.723	0.002	0.000
North Mainland 21 - Hamar Voe to Mangaster Voe	350	387.94	0.722	0.001	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
North Mainland 22 - Black Hill to Boat Geo South	1,160	382.94	0.721	0.005	0.001
North Mainland 24 - Paidland Vird to Stourl	298	404.24	0.722	0.001	0.000
North Mainland 25 - Voe to Logie Hill	2	380.44	0.718	0.000	0.000
North Mainland 3 - Mossbank to Fora Ness	36	391.22	0.719	0.000	0.000
North Mainland 6 - Fethaland to Burravoe	200	409.53	0.722	0.001	0.000
North Mainland 7 - Ay Wick to Firth	32	393.58	0.719	0.000	0.000
North Roe to Gluss Ayre	1,226	398.72	0.721	0.004	0.001
North Ronaldsay	1,514	273.70	0.718	0.012	0.002
North Sutherland Coastal Islands SPA	630	295.66	0.740	0.004	0.001
North Sutherland Islands	770	295.60	0.738	0.005	0.001
North Sutor to Shandwick	296	199.39	0.720	0.004	0.001
North Uist	348	505.33	0.795	0.001	0.000
North Uist Machair and Islands SPA	2	495.12	0.799	0.000	0.000
North York Moors SPA	4	288.21	0.611	0.000	0.000
Northumbria Coast SPA	820	184.34	0.643	0.016	0.003
Noss Mayo to Erme Estuary	8	1,090.80	0.640	0.000	0.000
Old Hill - Lewis	108	452.77	0.796	0.000	0.000
Orkney Mainland Moors SPA	6	244.99	0.722	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Oronsay and South Colonsay SPA	64	660.99	0.765	0.000	0.000
Otterswick and Graveland SPA	5,284	446.18	0.720	0.015	0.003
Out Skerries	1,108	384.11	0.714	0.004	0.001
Pabay Mor	36	455.45	0.796	0.000	0.000
Papa Little, Linga and Vementry Islets	370	376.94	0.720	0.002	0.000
Papa Stour SPA	3,112	411.39	0.724	0.011	0.002
Papa Stronsay	126	253.27	0.715	0.001	0.000
Papa Westray	459	278.46	0.724	0.003	0.001
Papa Westray (North Hill and Holm) SPA	602	289.25	0.724	0.004	0.001
Peerie Voe of Spiggie to St. Ninian's	680	337.12	0.713	0.004	0.001
Pentland Firth Islands SPA	954	220.95	0.714	0.011	0.002
Pinbain Quarry - Kennedy's Pass	2	814.02	0.731	0.000	0.000
Plymouth - Falmouth	78	1,116.96	0.650	0.000	0.000
Plymouth to Berry Head Coastline	4	1,085.95	0.640	0.000	0.000
Point of Hisber to Woodwick House	56	258.80	0.722	0.000	0.000
Port a' Ghleannain to Bay of Culkein	10	386.03	0.757	0.000	0.000
Port Mona, Devil's Bridge, Laggantalluch Head	30	858.16	0.729	0.000	0.000
Portally to Benlea Head	46	1,184.49	0.732	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Portknockie	6	134.91	0.697	0.000	0.000
Portland	40	977.88	0.607	0.000	0.000
Portpatrick	176	830.41	0.735	0.000	0.000
Portsoy to Cullen	244	129.32	0.695	0.009	0.002
Priest Island (Summer Isles) SPA	6	414.70	0.759	0.000	0.000
Ramna Stacks and Gruney SPA	142	454.36	0.722	0.000	0.000
Ramsey and St David's Peninsula Coast SPA	672	1,146.21	0.676	0.000	0.000
Rathlin O'Birne Island SPA	10	837.62	0.822	0.000	0.000
Ravenscar to Robin Hood's Bay	72	288.87	0.600	0.001	0.000
Reawick	1,884	355.69	0.718	0.009	0.002
Rerwick Head to Mirkady Point	496	236.89	0.714	0.005	0.001
Rinns of Islay SPA	326	679.87	0.770	0.000	0.000
Ronas Hill - North Roe and Tingon SPA	1,138	435.53	0.723	0.003	0.001
Ronas Hill to Uyea	1,544	409.62	0.723	0.005	0.001
Ronas Voe to the Ness	276	408.42	0.723	0.001	0.000
Rosehearty to Bay of Cullen	474	107.63	0.687	0.025	0.005
Rousay - Central	4	263.92	0.722	0.000	0.000
Rousay - South and Central	174	261.81	0.722	0.001	0.000
Rousay - South East	62	260.17	0.722	0.001	0.000
Rousay Coast	238	259.10	0.721	0.002	0.000
Rubha Coigeach	188	403.11	0.757	0.001	0.000
Rubha Hunish	1,728	467.81	0.775	0.004	0.001

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Rubha Reidh Peninsula	44	437.69	0.763	0.000	0.000
Rum SPA	24	545.90	0.770	0.000	0.000
Rysa Little and Cava	388	238.79	0.720	0.004	0.001
Saltburn Coast	160	267.82	0.614	0.002	0.000
Saltness to Skeld	416	358.77	0.718	0.002	0.000
Sanda Islands - Kintyre	86	774.63	0.749	0.000	0.000
Sanday	2,930	261.41	0.718	0.025	0.005
Sanday - Cata Sand	12	264.27	0.717	0.000	0.000
Sanday - North and Holms of Ire	50	270.02	0.719	0.000	0.000
Sanday - Spurness	12	260.65	0.718	0.000	0.000
Sanday - Stove to Kettletoft	989	261.53	0.718	0.008	0.002
Sanday - Tofts Ness	32	266.60	0.716	0.000	0.000
Sandness	247	372.97	0.722	0.001	0.000
Sandvoe to Fethaland	1,302	410.49	0.722	0.004	0.001
Sandvoe to Uyea	1,802	408.98	0.723	0.006	0.001
Sark	76	1,029.46	0.611	0.000	0.000
Scalby to Rocky Point	42	298.98	0.597	0.000	0.000
Scalloway Islands	424	354.22	0.717	0.002	0.000
Scalloway Islands North	26	362.35	0.717	0.000	0.000
Scalloway Islands South	122	350.80	0.716	0.001	0.000
Scalloway to Semblister	210	364.29	0.717	0.001	0.000
Scapa Bay to St. Marys	1,658	237.26	0.716	0.017	0.003
Scarborough to Osgodby Point	18	304.91	0.594	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Seaford to Beachy Head SSSI	10	797.69	0.540	0.000	0.000
Seahouses	4	155.93	0.650	0.000	0.000
Shakespeare/Abbots Cliff	14	702.54	0.511	0.000	0.000
Shandwick to Portmahomack	18	194.32	0.718	0.000	0.000
Shapinsay	20	244.89	0.717	0.000	0.000
Shapinsay (Coastal)	1,584	247.36	0.717	0.015	0.003
Sharkham Point to Start Point (South Hams)	80	1,063.35	0.633	0.000	0.000
Sheddock Cliffs - Burrow Head	20	894.91	0.712	0.000	0.000
Sheep Island SPA	122	749.37	0.768	0.000	0.000
Sidmouth to Beer	4	1,024.10	0.621	0.000	0.000
Skeld, Westerwick and Culswick	7,468	355.59	0.719	0.034	0.006
Skerries Islands SPA	62	972.11	0.742	0.000	0.000
Skerry Islands	86	848.21	0.772	0.000	0.000
Skomer, Skokholm and the Seas off Pembrokeshire SPA	1,606	1,161.54	0.676	0.001	0.000
Skye	604	499.50	0.775	0.001	0.000
Skye - Strathaird	8	517.46	0.765	0.000	0.000
Skye: Hoe Point to Meanish	468	507.76	0.783	0.001	0.000
Sleibhtean agus Cladach Thiriodh (Tiree Wetlands and Coast) SPA	104	602.25	0.780	0.000	0.000
Sligo Bay	234	863.61	0.816	0.000	0.000
Smoo to Melvich	2,732	294.35	0.736	0.018	0.003

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Solent and Dorset Coast SPA	54	847.01	0.579	0.000	0.000
Solway Firth SPA	44	865.09	0.694	0.000	0.000
Sound of Gigha SPA	38	689.60	0.753	0.000	0.000
Sound of Pabbay	150	583.38	0.796	0.000	0.000
Sound of Papa	14	375.67	0.723	0.000	0.000
South Aberdeenshire - Tysties	10	46.40	0.678	0.003	0.001
South Dorset Coast SSSI	20	964.23	0.602	0.000	0.000
South East Sutherland/Alness Bay Ross-shire	38	212.95	0.722	0.000	0.000
South Island	1,272	910.38	0.713	0.001	0.000
South Ronaldsay	14,706	224.77	0.714	0.171	0.031
South Ronaldsay (South East)	260	221.30	0.713	0.003	0.001
South Sutor	110	201.01	0.720	0.002	0.000
South Uist	46	549.78	0.793	0.000	0.000
South West Iona and Soa	22	611.26	0.770	0.000	0.000
South West Islands	354	984.98	0.848	0.000	0.000
St Abb's Head to Fast Castle SPA	384	127.88	0.668	0.015	0.003
St Abbs to Eyemouth	88	129.28	0.666	0.003	0.001
St Anne's Head (Renny Slip to Dale)	16	1,188.61	0.670	0.000	0.000
St Bees Head and Town	86	946.58	0.688	0.000	0.000
St Bride's Bay (S and SE)	26	1,162.83	0.671	0.000	0.000
St Cyrus NNR	82	69.06	0.681	0.011	0.002
St Margaret's	14	695.29	0.509	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
St. Ninian's Isle	7,862	338.24	0.714	0.040	0.007
Stac Mhic Mhurchaidh, Reidh Eilean, Eilean Annraidh, Eilean Chalba	10	606.67	0.770	0.000	0.000
Staffa	40	595.58	0.768	0.000	0.000
Staffin	4	470.70	0.771	0.000	0.000
Stags of Broad Haven SPA	448	908.35	0.846	0.000	0.000
Staithe to Sandsend	414	274.60	0.608	0.004	0.001
Starling Knowe to Downan Point	2	820.55	0.734	0.000	0.000
Stenness to Hillswick	1,832	394.51	0.724	0.007	0.001
Stoer Headland	698	385.31	0.759	0.003	0.000
Stonehaven to Wine Cove	126	51.00	0.678	0.030	0.006
Straight Point and Otterton Ledge to Big Picket Rock	10	1,034.73	0.624	0.000	0.000
Strangford Lough SPA	4	834.57	0.746	0.000	0.000
Strathlene to Portknockie	114	137.21	0.698	0.004	0.001
Stromness	10	249.46	0.724	0.000	0.000
Stromness Area, Hundland	1,006	259.88	0.724	0.009	0.002
Stromness to Binnanness	36	363.39	0.717	0.000	0.000
Stronsay	5,412	245.62	0.715	0.053	0.010
Strumble Head - Pwll Deri	142	1,137.48	0.674	0.000	0.000
Strumble Head to Fishguard to Newport	122	1,135.48	0.671	0.000	0.000
Sule Skerry and Sule Stack SPA	238	305.64	0.749	0.001	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Sullom Voe	328	389.35	0.720	0.001	0.000
Sumburgh to Peerie Voe of Spiggie	23,992	323.67	0.713	0.134	0.025
Summer Isles	114	411.83	0.756	0.000	0.000
Swanbister - Scapa Bay, West Mainland	1,246	241.28	0.718	0.012	0.002
Switha SPA	904	229.25	0.717	0.010	0.002
Tarbet, Badcail Bay and Edrachillis Bay	22	377.38	0.754	0.000	0.000
The Bastard - Kintyre	2	772.26	0.748	0.000	0.000
The Oa SPA	170	704.99	0.767	0.000	0.000
The Taing - The Nev	3,160	433.74	0.718	0.010	0.002
The Wash SPA	214	461.41	0.549	0.001	0.000
Tingwall	28	360.17	0.716	0.000	0.000
Tingwall to Hatston	572	250.47	0.720	0.005	0.001
Tiree	32	601.98	0.779	0.000	0.000
Tolsta Chaolais to Bragair - Lewis	1,078	442.27	0.792	0.003	0.001
Tory Island and Bloody Foreland	6	779.50	0.810	0.000	0.000
Treshnish Isles SPA	688	609.46	0.770	0.001	0.000
Tresta Voe - Weisdale Voe	106	365.58	0.717	0.000	0.000
Tronda, East Burra and Houss Ness	102	354.30	0.715	0.000	0.000
Trondra	96	352.24	0.716	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Trondra (East Side), East Burra and Houss Ness	1,100	350.60	0.715	0.005	0.001
Ulsta to Whalefirth (Yell)	50	409.51	0.721	0.000	0.000
Unst - Balta and Huney	64	425.83	0.717	0.000	0.000
Unst - south west	1,784	425.48	0.719	0.006	0.001
Vaila	2,938	359.87	0.720	0.013	0.002
Vementry Region	864	376.86	0.720	0.004	0.001
Walls - Dale	2	360.95	0.720	0.000	0.000
Walls to Dales	1,087	360.00	0.721	0.005	0.001
Weisdale Voe to Skeld	220	355.93	0.718	0.001	0.000
West Bay - Bridport	42	994.89	0.611	0.000	0.000
West Burra - Shetland	1,153	349.79	0.715	0.006	0.001
West Burrafirth to Longa Ness	20	374.29	0.720	0.000	0.000
West Coast of the Outer Hebrides SPA	875	467.77	0.799	0.002	0.000
West Coast Wigtownshire	10	833.33	0.733	0.000	0.000
West Donegal Islands SPA	34	779.06	0.811	0.000	0.000
West Island	166	900.70	0.714	0.000	0.000
West Mainland	39	258.70	0.724	0.000	0.000
West Mainland (Coastal Sites)	20	263.26	0.723	0.000	0.000
West Mainland (Houton - Stenness Hills)	206	241.95	0.720	0.002	0.000
West Mainland (Inland) - HY31	46	249.23	0.722	0.000	0.000
West Penwith	316	1,231.34	0.679	0.000	0.000
Westray	4,034	271.99	0.723	0.032	0.006

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Westray - Aikerness	44	280.53	0.725	0.000	0.000
Westray - North West	10	280.41	0.725	0.000	0.000
Westray - Rapness	48	266.72	0.722	0.000	0.000
Westray - Swartmill to Rapness	172	268.51	0.722	0.001	0.000
Whalefirth to Aastack	362	421.10	0.721	0.001	0.000
Whalsay: Western Islands	46	382.93	0.716	0.000	0.000
Whitby to Robin Hood's Bay	124	280.46	0.602	0.001	0.000
Whitehead	8	816.72	0.751	0.000	0.000
Wicklow Head SPA	46	1,035.34	0.724	0.000	0.000
Woodwick House to Tingwall Pier	61	256.64	0.721	0.001	0.000
Wyre	10	256.78	0.721	0.000	0.000
Yell - East Coast	60	397.53	0.718	0.000	0.000
Yell - Whale Firth to Gloup	2,424	420.50	0.721	0.008	0.001
Yell and Yell Sound Islands: Terns	32	400.33	0.719	0.000	0.000
Yell Sound Islands	910	399.80	0.720	0.003	0.001
Yesnaby - Ness Point, Stromness	1,566	252.73	0.724	0.014	0.003
Yesnaby to Marwick (West Mainland)	1,464	260.08	0.725	0.012	0.002
Ynys Seiriol/Puffin Island SPA	100	1,009.81	0.675	0.000	0.000
Ythan Estuary, Sands of Forvie and Meikle Loch SPA	112	52.18	0.677	0.025	0.005

Table B.2: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Gannet

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Fair Isle SPA	9,942	285.11	0.855	0.029	0.009
Flamborough and Filey Coast SPA	26,784	321.22	0.605	0.087	0.027
Forth Islands SPA	150,518	127.89	0.733	2.559	0.798
Hermaness, Saxa Vord and Valla Field SPA	59,124	470.05	0.865	0.063	0.020
North Rona and Sula Sgeir SPA	24,542	382.88	0.883	0.039	0.012
Noss SPA	27,530	353.17	0.851	0.053	0.016
St Kilda SPA	120,580	552.99	0.858	0.094	0.029
Sule Skerry and Sule Stack SPA	18,130	305.64	0.880	0.045	0.014
Non-designated sites					
Flannan Isles SPA	10,560	485.72	0.851	0.011	0.003
Foula SPA	4,886	354.36	0.880	0.009	0.003
Marwick Head SPA	18	264.96	0.882	0.000	0.000
St Abb's Head to Fast Castle SPA	22	127.88	0.695	0.000	0.000
Troup, Pennan and Lion's Heads SPA	9,650	107.04	0.820	0.209	0.065
West Westray SPA	2,768	278.84	0.885	0.008	0.003

Table B.3: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Kittiwake

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Buchan Ness to Collieston Coast SPA	22,590	55.88	0.721	0.933	0.213
Calf of Eday SPA	672	275.74	0.859	0.001	0.000
Copinsay SPA	1,910	228.29	0.833	0.004	0.001
East Caithness Cliffs SPA	48,958	190.53	0.773	0.162	0.037
Farne Islands SPA	8,804	150.62	0.612	0.059	0.013
Fair Isle SPA	896	285.11	0.912	0.001	0.000
Flamborough and Filey Coast SPA	91,008	321.22	0.589	0.139	0.032
Forth Islands SPA	9,084	115.07	0.609	0.105	0.024
Fowlsheugh SPA	28,078	51.30	0.673	1.474	0.337
Hoy SPA	532	233.21	0.820	0.001	0.000
Marwick Head SPA	1,812	264.96	0.839	0.003	0.001
Rousay SPA	660	266.18	0.849	0.001	0.000
St Abb's Head to Fast Castle SPA	10,300	127.88	0.601	0.097	0.022
Troup, Pennan and Lion's Heads SPA	21,232	107.04	0.735	0.234	0.054
West Westray SPA	5,510	278.84	0.859	0.008	0.002
Non-designated sites					
Berwick to Scottish Border	3,054	137.02	0.603	0.025	0.006
Boulby Cliffs	2,880	269.95	0.578	0.006	0.001
Brough of Birsay	2	268.20	0.841	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Burn of Daff	2,186	47.05	0.683	0.134	0.031
Caithness - Wick Bay to Freshwick Bay	90	200.27	0.797	0.000	0.000
Caithness and Sutherland Peatlands SPA	100	196.44	0.781	0.000	0.000
Carr Craig, Eyebroughy and Haystack	804	156.44	0.584	0.005	0.001
Catterline to Inverbervie	4,093	55.04	0.671	0.187	0.043
Coquet Island SPA	932	182.92	0.595	0.004	0.001
Costa Head	46	264.95	0.845	0.000	0.000
Eyemouth to Burnmouth	1,418	131.19	0.603	0.013	0.003
Findon Ness - Hare Ness	2,354	45.97	0.686	0.151	0.035
Firth of Forth SPA	2,310	157.43	0.579	0.015	0.003
Fraserburgh	162	90.15	0.740	0.003	0.001
Girdle Ness to Hare Ness	4,186	45.52	0.689	0.272	0.062
Green Holms	64	254.76	0.847	0.000	0.000
Hall Bay to Craigeven Bay	158	50.05	0.678	0.009	0.002
Holm	22	229.32	0.831	0.000	0.000
Hopeman Bay	1,398	168.34	0.728	0.006	0.001

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Howick - Cullornose Point - Dunstanburgh Castle Point	2,672	168.21	0.602	0.015	0.003
Hoy and Southwalls	66	230.83	0.821	0.000	0.000
Lunan Bay to Arbroath	2,362	81.90	0.648	0.051	0.012
Montrose to Lunan Bay	740	74.99	0.654	0.019	0.004
Newton Hill	4	49.09	0.679	0.000	0.000
Newtonhill - Hall Bay	596	48.36	0.681	0.035	0.008
North Sutherland Coastal Islands SPA	141	295.66	0.797	0.000	0.000
North Sutor to Shandwick	904	199.39	0.730	0.003	0.001
Northumbria Coast SPA	5,268	184.34	0.593	0.024	0.006
Papa Westray (North Hill and Holm) SPA	30	289.25	0.868	0.000	0.000
Pentland Firth Islands SPA	262	220.95	0.815	0.001	0.000
Peterhead	66	64.17	0.731	0.002	0.000
Portknockie	62	134.91	0.727	0.000	0.000
Portsoy to Cullen	1,032	129.32	0.729	0.008	0.002
Rerwick Head to Mirkady Point	6	236.89	0.836	0.000	0.000
River Tyne to Seaton Sluice	2,022	213.56	0.569	0.007	0.002
Roseheartly to Bay of Cullen	56	107.63	0.740	0.001	0.000
Rousay - South East	254	260.17	0.847	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Saltburn Coast	2,220	267.82	0.574	0.005	0.001
Sanday - Stove to Kettletoft	102	261.53	0.857	0.000	0.000
Scalby to Rocky Point	90	298.98	0.582	0.000	0.000
Scapa Bay to St. Marys	46	237.26	0.831	0.000	0.000
Scarborough to Osgodby Point	5,018	304.91	0.579	0.009	0.002
Seahouses	412	155.93	0.608	0.003	0.001
Shapinsay (Coastal)	34	247.36	0.843	0.000	0.000
South Aberdeenshire - Tysties	922	46.40	0.685	0.058	0.013
South Ronaldsay	102	224.77	0.822	0.000	0.000
South Sutor	132	201.01	0.726	0.000	0.000
Staithe to Sandsend	2,214	274.60	0.582	0.005	0.001
Stonehaven to Wine Cove	87	51.00	0.675	0.005	0.001
Stronsay	315	245.62	0.851	0.001	0.000
Sule Skerry and Sule Stack SPA	186	305.64	0.829	0.000	0.000
Teesmouth and Cleveland Coast SPA	1,124	256.85	0.569	0.003	0.001
Westray	758	271.99	0.858	0.001	0.000
Whitby to Robin Hood's Bay	1,046	280.46	0.584	0.002	0.000
Yesnaby - Ness Point, Stromness	12	252.73	0.831	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Yesnaby to Marwick (West Mainland)	2	260.08	0.835	0.000	0.000
Ythan Estuary, Sands of Forvie and Meikle Loch SPA	774	52.18	0.708	0.037	0.009

Table B.4: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Great Black-backed Gull

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
NA – no designated sites with connectivity to the Array Area					
Non-designated sites					
Buchan Ness to Collieston Coast SPA	72	55.88	0.684	0.383	0.366
Fowlsheugh SPA	16	51.30	0.548	0.126	0.121
Montrose Basin SPA	2	76.72	0.472	0.008	0.008
Ythan Estuary, Sands of Forvie and Meikle Loch SPA	2	52.18	0.613	0.014	0.013
Aberdeen City	18	53.20	0.511	0.141	0.135
Burn of Daff	2	47.05	0.528	0.019	0.019
Catterline to Inverbervie	4	55.04	0.536	0.028	0.027
Findon Ness - Hare Ness	2	45.97	0.542	0.020	0.019
Hall Bay to Craigeven Bay	2	50.05	0.521	0.017	0.017
Lunan Bay to Arbroath	8	81.90	0.490	0.028	0.026
Montrose	8	73.21	0.487	0.035	0.033
Montrose to Lunan Bay	3	74.99	0.499	0.012	0.012
Newtonhill - Hall Bay	2	48.36	0.520	0.019	0.018
South Aberdeenshire - Tysties	18	46.40	0.531	0.179	0.171
Stonehaven to Wine Cove	2	51.00	0.524	0.017	0.016

Table B.5: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Herring Gull

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Buchan Ness to Collieston Coast SPA	4,154	55.88	0.704	0.239	0.181
Fowlsheugh SPA	2,070	51.30	0.542	0.184	0.139
Non-designated sites					
Aberdeen City	6,700	53.20	0.558	0.536	0.406
Brechin	42	84.21	0.409	0.002	0.001
Burn of Daff	326	47.05	0.564	0.033	0.025
Catterline to Inverbervie	1,014	55.04	0.533	0.080	0.060
Craigoshina	3	83.47	0.341	0.000	0.000
Findon Ness - Hare Ness	250	45.97	0.577	0.026	0.020
Fraserburgh	126	90.15	0.740	0.003	0.002
Girdle Ness to Hare Ness	134	45.52	0.590	0.014	0.011
Hall Bay to Craigeven Bay	30	50.05	0.542	0.003	0.002
Inverbervie to St Cyrus	56	58.60	0.516	0.004	0.003
Inverurie	44	71.49	0.502	0.002	0.002
Lunan Bay to Arbroath	939	81.90	0.467	0.038	0.029
Montrose	257	73.21	0.486	0.012	0.009
Montrose Basin SPA	790	76.72	0.470	0.036	0.027
Montrose to Lunan Bay	202	74.99	0.488	0.009	0.007

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Newton Hill	136	49.09	0.548	0.013	0.010
Newtonhill - Hall Bay	102	48.36	0.554	0.010	0.008
Peterhead	646	64.17	0.741	0.027	0.020
Rosehearty to Bay of Cullen	658	107.63	0.682	0.011	0.008
Sandhaven	2	93.06	0.730	0.000	0.000
South Aberdeenshire - Tysties	24	46.40	0.569	0.002	0.002
St Cyrus NNR	2	69.06	0.497	0.000	0.000
St Fergus	50	73.21	0.745	0.002	0.001
Stonehaven to Wine Cove	272	51.00	0.532	0.025	0.019
Transco Installations and Birse	2	84.56	0.310	0.000	0.000
Westhill, Loch of Skene, Garlogie Gas Station and Leuchar	70	60.69	0.508	0.005	0.004
Ythan Estuary, Sands of Forvie and Meikle Loch SPA	74	52.18	0.644	0.005	0.004

Table B.6: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Arctic Tern

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
NA – no designated sites with connectivity to the Array Area					
Non-designated sites					
Ythan Estuary, Sands of Forvie and Meikle Loch SPA	3,196	52.18	0.501	1	1.000

Table B.7: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Guillemot

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Buchan Ness to Collieston Coast SPA	39,440	55.88	0.714	0.216	0.201
Fowlsheugh SPA	93,570	51.30	0.558	0.780	0.724
Non-designated sites					
Burn of Daff	465	47.05	0.584	0.004	0.004
Catterline to Inverbervie	6,037	55.04	0.542	0.045	0.042
Findon Ness - Hare Ness	1,577	45.97	0.599	0.015	0.014
Girdle Ness to Hare Ness	297	45.52	0.613	0.003	0.003
Lunan Bay to Arbroath	2,006	81.90	0.452	0.008	0.008
Montrose to Lunan Bay	27	74.99	0.473	0.000	0.000
Newton Hill	4	49.09	0.568	0.000	0.000
Newtonhill - Hall Bay	417	48.36	0.574	0.004	0.004
South Aberdeenshire - Tysties	50	46.40	0.593	0.000	0.000
Ythan Estuary, Sands of Forvie and Meikle Loch SPA	79	52.18	0.661	0.001	0.000

Table B.8: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Razorbill

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Forth Islands SPA	7,631	115.07	0.401	0.094	0.064
Fowlsheugh SPA	18,844	51.30	0.592	0.790	0.536
St Abb's Head to Fast Castle SPA	3,928	127.88	0.487	0.032	0.022
Troup, Pennan and Lion's Heads SPA	6,054	107.04	0.663	0.052	0.035
Non-designated sites					
Buchan Ness to Collieston Coast SPA	7,807	55.88	0.740	0.221	0.150
Burn of Daff	198	47.05	0.631	0.009	0.006
Catterline to Inverbervie	3,727	55.04	0.564	0.142	0.097
Findon Ness - Hare Ness	1,245	45.97	0.644	0.060	0.041
Girdle Ness to Hare Ness	398	45.52	0.655	0.019	0.013
Hall Bay to Craigeven Bay	7	50.05	0.609	0.000	0.000
Lunan Bay to Arbroath	942	81.90	0.427	0.021	0.015
Montrose to Lunan Bay	76	74.99	0.460	0.002	0.001
Newton Hill	188	49.09	0.617	0.008	0.006
Newtonhill - Hall Bay	216	48.36	0.623	0.010	0.007
Portsoy to Cullen	62	129.32	0.522	0.000	0.000
Rosehearty to Bay of Cullen	109	107.63	0.644	0.001	0.001

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
South Aberdeenshire - Tysties	60	46.40	0.641	0.003	0.002
Stonehaven to Wine Cove	35	51.00	0.597	0.001	0.001
Ythan Estuary, Sands of Forvie and Meikle Loch SPA	198	52.18	0.702	0.007	0.005

Table B.9: Full Breeding Season Apportioning Results, Including Non-designated Sites, for Puffin

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Coquet Island SPA	50,058	182.92	0.577	0.328	0.119
Farne Islands SPA	87,504	150.62	0.588	0.832	0.301
Forth Islands SPA	85,846	115.07	0.566	1.452	0.525
Hoy SPA	860	233.21	0.803	0.002	0.001
North Caithness Cliffs SPA	6,078	221.21	0.782	0.020	0.007
Non-designated sites					
Auskerry SPA	446	260.69	0.843	0.001	0.000
Atton	100	109.04	0.602	0.002	0.001
Birsay Cliffs - Point of Buckquoy to Loop of Cruie	38	267.34	0.835	0.000	0.000
Brough of Birsay	5	268.20	0.834	0.000	0.000
Buchan Ness to Collieston Coast SPA	352	55.88	0.699	0.020	0.007
Burn of Daff	7	47.97	0.643	0.001	0.000
Caithness - Wick Bay to Freshwick Bay	3	200.27	0.777	0.000	0.000
Carr Craig, Eyebroughy and Haystack	3,778	156.44	0.544	0.036	0.013
Catterline to Inverbervie	10	56.11	0.622	0.001	0.000
Copinsay SPA	1,756	241.37	0.824	0.005	0.002
Costa Head	27	264.95	0.840	0.000	0.000
Deerness	2	234.71	0.827	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
East Caithness Cliffs SPA	368	190.53	0.749	0.002	0.001
Findon Ness - Hare Ness	19	46.68	0.648	0.002	0.001
Flotta and Calf of Flotta	6	231.73	0.805	0.000	0.000
Fowlsheugh SPA	318	51.30	0.627	0.024	0.009
Green Holms	33	254.84	0.845	0.000	0.000
Hoy and South Walls - Tysties	88	229.79	0.800	0.000	0.000
Lunan Bay to Arbroath	26	82.98	0.598	0.001	0.000
Marwick Head SPA	2	264.96	0.830	0.000	0.000
Melvich to Duncansby Stacks SSSI	4	237.99	0.788	0.000	0.000
Newton Hill	2	49.77	0.638	0.000	0.000
Newtonhill - Hall Bay	3	49.05	0.640	0.000	0.000
Pentland Firth Islands SPA	9,140	220.95	0.796	0.030	0.011
Portsoy to Cullen	32	129.32	0.698	0.000	0.000
Rerwick Head to Mirkady Point	1	236.89	0.827	0.000	0.000
Rousay SPA	202	266.18	0.847	0.000	0.000
Rysa Little and Cava	2	238.79	0.807	0.000	0.000
Sanday	8	263.38	0.860	0.000	0.000
Shapinsay (Coastal)	12	247.36	0.836	0.000	0.000

Colony	Number of breeding adults (individuals)	Distance to the Array Area (km)	Proportion of foraging range at sea	Resulting weighting	Apportioning value
Smoo to Melvich	11	294.35	0.783	0.000	0.000
South Ronaldsay	50	224.77	0.805	0.000	0.000
South Walls	1	230.29	0.801	0.000	0.000
Stronsay	1	248.82	0.851	0.000	0.000
Switha SPA	21	229.25	0.801	0.000	0.000
Troup, Pennan and Lion's Heads SPA	60	107.04	0.711	0.001	0.000
Westray - Rapness	1,534	270.00	0.858	0.003	0.001
Yesnaby to Marwick (West Mainland)	9	260.08	0.822	0.000	0.000